

Vaja 010 - Hosts

Ime in priimek: Nejc Drobnič


Oddelek: 4. ar

Predmet/modul: VVO


Učitelj: Branko Potisk


Šolsko leto: 2022/2023

Če želimo blokirati spletne strani uporabniku (npr.: Facebook ali 24ur) lahko uporabimo Hosts file.



Hosts file lahko najdemo na poti C:\Windows\System32\drivers\etc, datoteka, ki jo iščemo datoteko z imenom »hosts«. Tukaj si moramo zapomniti da lahko to datoteko urejajo samo sistemski administratorji.






C:\Windows\System32\drivers\etc\hosts - Notepad++ [Administrator]

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

```
1 # Copyright (c) 1993-2009 Microsoft Corp.
2 #
3 # This is a sample HOSTS file used by Microsoft TCP/IP for Windows.
4 #
5 # This file contains the mappings of IP addresses to host names. Each
6 # entry should be kept on an individual line. The IP address should
7 # be placed in the first column followed by the corresponding host name.
8 # The IP address and the host name should be separated by at least one
9 # space.
10 #
11 # Additionally, comments (such as these) may be inserted on individual
12 # lines or following the machine name denoted by a '#' symbol.
13 #
14 # For example:
15 #
16 #         102.54.94.97       rhino.acme.com          # source server
17 #         38.25.63.10       x.acme.com              # x client host
18
19 # localhost name resolution is handled within DNS itself.
20 #   127.0.0.1       localhost
21 #   ::1             localhost
22
```

Da blokiramo stran moramo dati IP, ki ni od strani ali pa samo loopback address (0.0.0.0) in za tem naslov spletne strani.

Če želimo lahko tudi dodamo komentar z »#«.



C:\Windows\System32\drivers\etc\hosts - Notepad++ [Administrator]

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

```
1 # Copyright (c) 1993-2009 Microsoft Corp.
2 #
3 # This is a sample HOSTS file used by Microsoft TCP/IP for Windows.
4 #
5 # This file contains the mappings of IP addresses to host names. Each
6 # entry should be kept on an individual line. The IP address should
7 # be placed in the first column followed by the corresponding host name.
8 # The IP address and the host name should be separated by at least one
9 # space.
10 #
11 # Additionally, comments (such as these) may be inserted on individual
12 # lines or following the machine name denoted by a '#' symbol.
13 #
14 # For example:
15 #
16 #         102.54.94.97       rhino.acme.com          # source server
17 #         38.25.63.10       x.acme.com              # x client host
18
19 # localhost name resolution is handled within DNS itself.
20 #   127.0.0.1       localhost
21 #   ::1             localhost
22
23 0.0.0.0 facebook.com # Blokiranje Facebooka
24 0.0.0.0 www.24ur.com # Blokiranje 24ur
25
```

Ko znova pridemo na izbrano spletno stran lahko vidimo da je DNS napaka in ni več dostopna.

